



KOYO® Elevator
Lead The Best Life

ELEVATOR



KOYO® Elevator
Lead The Best Life

KOYO Elevator Co., Ltd.

Tel: +86-512-5764 6238 / 5706 5517

Add: No.3 Caimao Rd, Zhoushi, Kunshan, 215313 China.

E-mail: info@koyocn.com

Web: www.koyocn.com



Scan the QR Code
To follow KOYO



www.koyocn.com





PANORAMIC ELEVATOR (STANDARD DESIGN)

• MR PANORAMIC ELEVATOR | Drawing




MODEL: KY1403

- Shell:** Steel plate with baking finish, ACRYL
- Ceiling:** Steel plate with baking finish, mirror SS, downlight
- Panoramic:** laminated safety glass
- Wall:** Hairline SS
- Handrail:** SS tube
- Car Sill:** Mirror SS
- Floor:** Marble
- Front Wall:** Hairline SS
- Car Door:** Hairline SS



• MRL PANORAMIC ELEVATOR | Drawing



| MR Panoramic Elevator Parameter Table

Type	Persons	Rated Speed (m/s)	TR (m)	OH (mm)	Pit (mm)	Opening Size OP×OPH (mm)	Car Size CW×CD×CH (mm)		Shaft Size HW×HD (mm)
							Square Car	Half-round Car	
TGJ800	10	1	TR≤45	4400	1800	CO 800×2100	1100×1700×2200	-	2100×2200
		1.5	25≤TR≤65	4600	1900				
		1.75	35≤TR≤80	4800	1900				
TGJ1000	13	1	TR≤45	4400	1900	CO 900×2100	1200×1900×2200	1200×2000×2200	2200×2500
		1.5	25≤TR≤65	4600	1900				
		1.75	35≤TR≤80	4800	1900				
TGJ1250	16	1	TR≤45	4400	1900	CO 1000×2100	1300×2100×2200	1300×2200×2200	2400×2700
		1.5	25≤TR≤65	4600	2000				
		1.75	35≤TR≤80	4800	2000				
TGJ1350	18	1	TR≤45	4400	1900	CO 1000×2100	1400×2100×2200	1400×2200×2200	2500×2700
		1.5	25≤TR≤65	4600	2000				
		1.75	35≤TR≤80	4800	2000				

| MRL Panoramic Elevator Parameter Table

Type	Persons	Rated Speed (m/s)	TR (m)	OH (mm)	Pit (mm)	Opening Size OP×OPH (mm)	Car Size CW×CD×CH (mm)		Shaft Size HW×HD (mm)
							Square Car	Half-round Car	
TGJW800	10	1	TR≤45	4700	1900	CO 800×2100	1100×1700×2200	-	2100×2200
		1.5	25≤TR≤65	4900	2000				
		1.75	35≤TR≤80	5000	2100				
TGJW1000	13	1	TR≤45	4700	1900	CO 900×2100	1200×1900×2200	1200×2000×2200	2200×2500
		1.5	25≤TR≤65	4900	2000				
		1.75	35≤TR≤80	5000	2100				
TGJW1250	16	1	TR≤45	4700	1900	CO 1000×2100	1300×2100×2200	1300×2200×2200	2400×2700
		1.5	25≤TR≤65	4900	2000				
		1.75	35≤TR≤80	5000	2100				
TGJW1350	18	1	TR≤45	4700	1900	CO 1000×2100	1400×2100×2200	1400×2200×2200	2500×2700
		1.5	25≤TR≤65	4900	2000				
		1.75	35≤TR≤80	5000	2100				